

WALL-MOUNTS



Better solutions through innovation

Baldwin Cordless Electric Flame Mirror

TFA36E

Surround

Dimplex presents the art of flame captured in the Baldwin cordless electric flame mirror. It hangs on the wall as easily as any conventional mirror and the dancing flames come to life at the flick of a switch. Fluted rails and basket are punctuated with corner roundels and a river stone flame bed. The rich espresso finish completes the look and provides a timeless focal point to any room.

Firebox

- Patented, life-like flame effect
- 12V rechargeable battery-powered operation
- Runs continuously for up to 12 hours on a single charge
- Zero-maintenance LED bulbs are economical and never need replacing
- Easy to install and move
- Includes low-voltage charger and full charge indicator light
- Fully operational while charging
- Operates without heat - safe for almost any location or surface
- Annual operating cost is less than \$5*
- 12 Volts / 3.5 Watts



*Based on 4 hours a day, 365 days per year. Average national residential electricity rates. Electricity rates vary.

Model #	Description	lbs/kg	UPC	Wty. [†]	Carton Dimensions (W x H x D)		Cube	
					Inches	cm	ft ³	m ³
TFA36E	Cordless hanging electric flame mirror in an espresso finish. Ships in one carton.	67 / 30.5	781052 056619	1 yr.	40.4 x 27.6 x 11.8	102.6 x 70.1 x 30	7.6	0.22

Specifications, finishes and dimensions are subject to change and should be taken as a guide only. Patent protected: for a complete list of applicable patents visit: www.dimplex.com/patents.

* Based on average national residential electricity rates. Rates vary. [†] Limited warranty.

© 2011 Dimplex North America Limited.



Better solutions through innovation

Convex Wall-mount Electric Fireplace

VCX1525

Surround

Convex tempered glass front and a seamless black finish design combine to create a contemporary look that adds style to any décor. Choose surface-mount, plug-in installation for the ultimate simplicity or recessed installation for a sleek low-profile look. The black pebble flame bed can also be customized with any decorative fill.

Firebox

- Patented, life-like flame effect
- On-demand heat with thermostat control warms a room or area of up to 400 sq. ft.
- Flame operates with or without heat
- 2¢ / hour with flame only
8¢ / hour with flame and heat*
- 120 Volts / 1,350 Watts / 4,610 BTU



Includes on / off remote control



No carbon monoxide or emissions, glass stays cool-to-touch

Model #	Description	lbs/kg	UPC	Wty. [†]	Carton Dimensions (W x H x D)		Cube	
					Inches	cm	ft ³	m ³
VCX1525	Convex recessed or wall-mount electric fireplace. Ships in one carton.	74 / 33.6	781052 055063	1 yr.	26.3 x 37.8 x 18.4	66.8 x 96 x 46.7	10.6	0.3

Specifications, finishes and dimensions are subject to change and should be taken as a guide only. Patent protected: for a complete list of applicable patents visit: www.dimplex.com/patents.

* Based on average national residential electricity rates. Rates vary. [†] Limited warranty.

© 2011 Dimplex North America Limited.



Better solutions through innovation

Convex Wall-mount Electric Fireplace


VCX1525WH

Mantel

Convex tempered glass front and an elegant white finish design combine to create a contemporary look that adds style to any décor. Choose surface-mount, plug-in installation for the ultimate simplicity or recessed installation for a sleek low-profile look. The river rock can also be customized with any decorative fill.

Firebox

- Patented, life-like flame effect
- On-demand heat with thermostat control warms a room or area of up to 400 sq. ft.
- Flame operates with or without heat
- 2¢ / hour with flame only
8¢ / hour with flame and heat*
- 120 Volts / 1,350 Watts / 4,610 BTU



Includes on / off remote control



No carbon monoxide or emissions, glass stays cool-to-touch

Model #	Description	lbs/kg	UPC	Wty. [†]	Carton Dimensions (W x H x D)		Cube	
					Inches	cm	ft ³	m ³
VCX1525WH	White convex recessed or wall-mount electric fireplace	74 / 33.6	781052 067417	1 yr.	26.3 x 37.8 x 18.4	66.8 x 96 x 46.7	10.6	0.3
	Ships in one carton.							

Specifications, finishes and dimensions are subject to change and should be taken as a guide only. Patent protected: for a complete list of applicable patents visit: www.dimplex.com/patents.

* Based on average national residential electricity rates. Rates vary. † Limited warranty.

© 2011 Dimplex North America Limited.



Better solutions through innovation

Corner Wall-mount Electric Fireplace

EWMC-CC-SS

Surround

With its quiet, instant heat and eye-catching design, the Corner Wall-mount electric fireplace offers you comfort and style. Its elegant, transitional design, cream finish and pewter accents complement many décors and its space saving design is perfect for any size space.

Firebox

- Patented, life-like flame effect
- On-demand heat with thermostat control warms a room or area of up to 400 sq. ft.
- Flame operates with or without heat
- 2¢ / hour with flame only
9¢ / hour with flame and heat*
- 120 Volts / 1,440 Watts / 4,915 BTU



Includes on / off remote control



No carbon monoxide or emissions, glass stays cool-to-touch

Model #	Description	lbs/kg	UPC	Wty. [†]	Carton Dimensions (W x H x D)		Cube	
					Inches	cm	ft ³	m ³
EWMC-CC-SS	Corner wall-mount electric fireplace in cream finish. Ships in one carton.	70 / 31.8	781052 039803	2 yr.	28.5 x 33.5 x 28.5	72.4 x 85.1 x 72.4	15.7	0.45

Specifications, finishes and dimensions are subject to change and should be taken as a guide only. Patent protected: for a complete list of applicable patents visit: www.dimplex.com/patents.

* Based on average national residential electricity rates. Rates vary. [†] Limited warranty.

© 2011 Dimplex North America Limited.



Better solutions through innovation

Sahara Wall-mount Electric Fireplace

RWF-DG

Surround

With its widescreen aspect ratio and clean, uncomplicated design, the Sahara fireplace makes a seamless addition to any modern space with its sleek dark gray finish and stepped aluminum trim detail.

Firebox

- Patented, life-like flame effect
- On-demand heat with thermostat control warms a room or area of up to 400 sq. ft.
- Flame operates with or without heat
- 2¢ / hour with flame only
8¢ / hour with flame and heat*
- 120 Volts / 1,400 Watts / 4,780 BTU



Includes on / off remote control



No carbon monoxide or emissions, glass stays cool-to-touch

Model #	Description	lbs/kg	UPC	Wty. [†]	Carton Dimensions (W x H x D)		Cube	
					Inches	cm	ft ³	m ³
RWF-DG	Wall-mount electric fireplace in dark gray finish. Ships in one carton.	68 / 31.1	781052 057326	1 yr.	41.9 x 30.3 x 9.8	106.5 x 77 x 24.8	7.2	0.2

Specifications, finishes and dimensions are subject to change and should be taken as a guide only. Patent protected: for a complete list of applicable patents visit: www.dimplex.com/patents.

* Based on average national residential electricity rates. Rates vary. † Limited warranty.

© 2011 Dimplex North America Limited.



Better solutions through innovation

Beveled Trim Wall-mount Electric Fireplace

V1525BT-BLK

Surround

Ultra thin and ultra modern black finish low-profile fireplace. Choose surface-mount, plug-in installation for the ultimate simplicity or recessed installation for a sleek low-profile look. The beveled trim design creates a contemporary look that adds style and warmth to any room.

Firebox

- Patented, life-like flame effect
- On-demand heat with thermostat control warms a room or area of up to 400 sq. ft.
- Flame operates with or without heat
- 1¢ / hour with flame only
8¢ / hour with flame and heat*
- 120 Volts / 1,300 Watts / 4,440 BTU



Includes on / off remote control



No carbon monoxide or emissions, glass stays cool-to-touch

Model #	Description	lbs/kg	UPC	Wty. [†]	Carton Dimensions (W x H x D)		Cube	
					Inches	cm	ft ³	m ³
V1525BT-BLK	Low-profile recessed or wall-mount electric fireplace in black finish. Ships in one carton.	47 / 21.4	781052 052291	1 yr.	29.9 x 42.5 x 19.3	76 x 108 x 49	14.2	0.4

Specifications, finishes and dimensions are subject to change and should be taken as a guide only. Patent protected: for a complete list of applicable patents visit: www.dimplex.com/patents.

* Based on average national residential electricity rates. Rates vary. [†] Limited warranty.

© 2011 Dimplex North America Limited.



Better solutions through innovation

Beveled Trim Wall-mount Electric Fireplace

V1525BT-GM

Surround

Ultra thin and ultra modern gun metal finish low-profile fireplace. Choose surface-mount, plug-in installation for the ultimate simplicity or recessed installation for a sleek low-profile look. The beveled trim design creates a contemporary look that adds style and warmth to any room.

Firebox

- Patented, life-like flame effect
- On-demand heat with thermostat control warms a room or area of up to 400 sq. ft.
- Flame operates with or without heat
- 2¢ / hour with flame only
7¢ / hour with flame and heat*
- 120 Volts / 1,300 Watts / 4,440 BTU



Includes on / off remote control



No carbon monoxide or emissions, glass stays cool-to-touch

Model #	Description	lbs/kg	UPC	Wty. [†]	Carton Dimensions (W x H x D)		Cube	
					Inches	cm	ft ³	m ³
V1525BT-GM	Low-profile recessed or wall-mount electric fireplace in gun metal finish. Ships in one carton.	47 / 21.4	781052 052314	1 yr.	29.9 x 42.5 x 19.3	76 x 108 x 49	14.2	0.4

Specifications, finishes and dimensions are subject to change and should be taken as a guide only. Patent protected: for a complete list of applicable patents visit: www.dimplex.com/patents.

* Based on average national residential electricity rates. Rates vary. [†] Limited warranty.

© 2011 Dimplex North America Limited.



Better solutions through innovation

Rectangular Trim Wall-mount

V1525RT-BLK

Surround

Ultra thin and ultra modern black finish low-profile fireplace. Choose surface-mount, plug-in installation for the ultimate simplicity or recessed installation for a sleek low-profile look. The rectangular trim profile creates a contemporary look that adds style and warmth to any room.

Firebox

- Patented, life-like flame effect
- On-demand heat with thermostat control warms a room or area of up to 400 sq. ft.
- Flame operates with or without heat
- 1¢ / hour with flame only
8¢ / hour with flame and heat*
- 120 Volts / 1,300 Watts / 4,440 BTU



Includes on / off remote control



No carbon monoxide or emissions, glass stays cool-to-touch

Model #	Description	lbs/kg	UPC	Wty. [†]	Carton Dimensions (W x H x D)		Cube	
					Inches	cm	ft ³	m ³
V1525RT-BLK	Wall-mount electric fireplace in black finish. Ships in one carton.	51 / 23.2	781052 052284	1 yr.	29.9 x 42.5 x 19.3	76 x 108 x 49	14.2	0.4

Specifications, finishes and dimensions are subject to change and should be taken as a guide only. Patent protected: for a complete list of applicable patents visit: www.dimplex.com/patents.

* Based on average national residential electricity rates. Rates vary. [†] Limited warranty.

© 2011 Dimplex North America Limited.



Better solutions through innovation

Rectangular Trim Wall-mount

V1525RT-GM

Surround

Ultra thin and ultra modern gun metal finish low-profile fireplace. Choose surface-mount, plug-in installation for the ultimate simplicity or recessed installation for a sleek low-profile look. The rectangular trim profile creates a contemporary look that adds style and warmth to any room.

Firebox

- Patented, life-like flame effect
- On-demand heat with thermostat control warms a room or area of up to 400 sq. ft.
- Flame operates with or without heat
- 1¢ / hour with flame only
8¢ / hour with flame and heat*
- 120 Volts / 1,300 Watts / 4,440 BTU



Includes on / off remote control



No carbon monoxide or emissions, glass stays cool-to-touch

Model #	Description	lbs/kg	UPC	Wty. [†]	Carton Dimensions (W x H x D)		Cube	
					Inches	cm	ft ³	m ³
V1525RT-GM	Wall-mount electric fireplace in gun metal finish. Ships in one carton.	51 / 23.2	781052 052307	1 yr.	29.9 x 42.5 x 19.3	76 x 108 x 49	14.2	0.4

Specifications, finishes and dimensions are subject to change and should be taken as a guide only. Patent protected: for a complete list of applicable patents visit: www.dimplex.com/patents.

* Based on average national residential electricity rates. Rates vary. [†] Limited warranty.

© 2011 Dimplex North America Limited.



Better solutions through innovation

Synergy Wall-mount


BLF50

Product Description

- Patented electric flame technology
- Flame bed made from glass pieces that are colored and silvered on one side
- Light shines and reflects off the randomly-sized glass pieces creating an effect that is as alluring as it is contemporary.
- Four installation options:
 - Fully recessed in to a new construction wall
 - Retrofit – built-in to an existing 2x4 wall
 - Wall-mount
 - Installed as part of Dimplex mantel packages
- Operates with flame only or flame and heat
- Built-in manual switches – main on/off, low heat (600 Watts), high heat (1200 Watts).
- 120 Volts / 1,230 Watts / 4,198 BTU



Includes 3-stage remote control



Model #	Description	lbs/kg	UPC	Wty. [†]	Carton Dimensions (W x H x D)		Cube	
					Inches	cm	ft ³	m ³
BLF50	50" linear wall mount electric fireplace. Ships in one carton.	80 / 36.3	781052 061149	2 yr.	54.7 x 12.5 x 22	139 x 32 x 56	8.7	0.25

Specifications, finishes and dimensions are subject to change and should be taken as a guide only. Patent protected: for a complete list of applicable patents visit: www.dimplex.com/patents.
 * Based on average national residential electricity rates. Rates vary. † Limited warranty. © 2011 Dimplex North America Limited.



Better solutions through innovation

Cohesion Wall-mount Surround

Surround

The Cohesion wall-mount surround makes a seamless addition to any modern space with its burnished walnut finish and simple detail.

• Firebox

- Patented electric flame technology
- Flame bed made from glass pieces that are colored and silvered on one side
- Light shines and reflects off the randomly-sized glass pieces creating an effect that is as alluring as it is contemporary.
- Operates with flame only or flame and heat
- Built-in manual switches – main on/off, low heat (600 Watts), high heat (1200 Watts).
- 120 Volts / 1,230 Watts / 4,198 BTU



Includes 3-stage remote control



•No carbon monoxide or emissions, glass stays cool-to-touch

•Firebox and Surround sold separately

Model #	Description	lbs/kg	UPC	Wty. [†]	Carton Dimensions (W x H x D)		Cube	
					Inches	cm	ft ³	m ³
DT1103BW	Burnished walnut surround for 50" linear wall-mount electric fireplace. Ships in one carton.	55 / 24.8	7810520 70929		64.8 x 26.5 x 8.7	164.7 x 67.3 x 8.7	8.6	0.24
BLF50	50" linear wall-mount electric fireplace. Ships in one carton.	80 / 36.3	781052 061149	2 yr.	54.7 x 12.5 x 22	139 x 32 x 56	8.7	0.25

Specifications, finishes and dimensions are subject to change and should be taken as a guide only. Patent protected: for a complete list of applicable patents visit: www.dimplex.com/patents.

* Based on average national residential electricity rates. Rates vary. † Limited warranty.

© 2011 Dimplex North America Limited.



Better solutions through innovation

Inspiration Wall-mount Electric Fireplace


DWF36PG

Surround

With its widescreen aspect ratio and clean, uncomplicated design, the Inspiration fireplace makes a seamless addition to any modern space with its sleek pewter gray finish.

Firebox

- Patented, life-like flame effect
- On-demand heat warms a room or area of up to 400 sq. ft.
- Flame operates with or without heat
- 2¢ / hour with flame only
7¢ / hour with flame and heat*
- 120 Volts / 1,240 Watts / 4,233 BTU



Includes on / off remote control



No carbon monoxide or emissions, glass stays cool-to-touch

Model #	Description	lbs/kg	UPC	Wty. [†]	Carton Dimensions (W x H x D)		Cube	
					Inches	cm	ft ³	m ³
DWF36PG	36" wall-mount electric fireplace. In pewter gray finish. Ships in one carton.	61 / 28	7810520 70561	1 yr.	41.5 x 25 x 7.7	105.4 x 63.5 x 19.56	7.2	0.2

Specifications, finishes and dimensions are subject to change and should be taken as a guide only. Patent protected: for a complete list of applicable patents visit: www.dimplex.com/patents.

* Based on average national residential electricity rates. Rates vary. † Limited warranty.

© 2011 Dimplex North America Limited.



Better solutions through innovation

Pelham Wall-mount Electric Fireplace


DWF1146GP

Surround

With its widescreen aspect ratio and clean, uncomplicated design, the Pelham wall-mount electric fireplace makes a seamless addition to any modern space with its metallic pewter finish and stepped trim detail with river rock fuel bed.

Firebox

- Patented, life-like flame effect
- On-demand heat with thermostat control warms a room or area of up to 400 sq. ft.
- Flame operates with or without heat
- 2¢ / hour with flame only
7¢ / hour with flame and heat*
- 120 Volts / 1,400 Watts / 4,780 BTU



•ncludes on / off remote control



•No carbon monoxide or emissions, glass stays cool-to-touch

Model #	Description	lbs/kg	UPC	Wty. [†]	Carton Dimensions (W x H x D)		Cube	
					Inches	cm	ft ³	m ³
DWF1146GP	Wall-mount electric fireplace in metallic pewter finish. Ships in one carton.	68.3 / 31.1	781052 070547	1 yr.	41.9 x 30.3 x 9.8	106.5 x 77 x 24.8	7.2	0.2

Specifications, finishes and dimensions are subject to change and should be taken as a guide only. Patent protected: for a complete list of applicable patents visit: www.dimplex.com/patents.

* Based on average national residential electricity rates. Rates vary. [†] Limited warranty.

© 2011 Dimplex North America Limited.